



SAFETY DATA SHEET

Page : 1

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR**0002 - 0006 - 0008 -
0009**

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : PATE DE LUXE SAPHIR
Product code : 0002 - 0006 - 0008 - 0009

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Shoe and leather care product.

1.3. Details of the supplier of the safety data sheet

Company identification : AVEL
Lombre
MAGNAC LAVALETTE
16320 FRANCE
Tel. +33 5 45 64 74 74 - Fax. +33 5 45 64 77 36
avel@avel.com

1.4. Emergency telephone number

Phone nr : +33 5 45 64 74 74 (Office hours: Monday-Friday 8AM-3PM GMT+1)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : R10
R66
R67
Xi; R36/38
Xi; R43
R52-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin irritation - Category 2 - Warning (Skin Irrit. 2) H315
Eye irritation - Category 2 - Warning (Eye Irrit. 2) H319
Skin sensitisation - Category 1 - Warning (Skin Sens. 1) H317
Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -
Warning (STOT SE 3) H336

Physical hazards : Flammable solids - Category 2 - Warning (Flam. Sol. 2) H228

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 3 (Aquatic
Chronic 3) H412

Supplemental hazard information : EUH066: Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Labelling Regulation EC 1272/2008 (CLP)



SAFETY DATA SHEET

Page : 2

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

2. Hazards identification (continued)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H228 : Flammable solid.
 H319 : Causes serious eye irritation.
 H315 : Causes skin irritation.
 H317 : May cause an allergic skin reaction.
 H336 : May cause drowsiness or dizziness.
 H412 : Harmful to aquatic life with long lasting effects.

Supplemental hazard information

: EUH066: Repeated exposure may cause skin dryness or cracking.

Precautionary statements

:

• General

: P101: If medical advice is needed, have product container or label at hand.
 P102: Keep out of reach of children.

• Prevention

: P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves.

• Response

: P332+P313: If skin irritation occurs : Get medical advice.

Contains

: HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS - TURPENTINE OIL

2.3. Other hazards

Other hazards

: Not established.

3. Composition/information on ingredients

Substance / Preparation

: Preparation.

Hazardous component(s)

: This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
TURPENTINE OIL	: > 20 < 30 %	8006-64-2	232-350-7	650-002-00-6	01-2119553060-53-0011	R10 Xn; R20/21/22-65 Xi; R36/38 R43 N; R51-53 ----- Asp. Tox 1 _ H304 Flam. Liq. 3 _ H226 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (Inhal) _ H332 Acute Tox. 4 (oral) _ H302 Eye Irrit. 2 _ H319 Skin Irrit. 2 _ H315 Skin Sens. 1 _ H317 Aquatic Chronic 2 _ H411
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS	: > 50 < 75 %	64742-48-9	919-857-5	649-327-00-6	01-2119463258-33	R10 Xn; R65 R66 R67 ----- Asp. Tox 1 _ H304 Flam. Liq. 3 _ H226 STOT SE 3 _ H336 STOT RE _ EUH066

4. First aid measures

4.1. Description of first aid measures

AVEL

Lombre MAGNAC LAVALETTE 16320 FRANCE
 Tel. +33 5 45 64 74 74 - Fax. +33 5 45 64 77 36
 avel@avel.com

In case of emergency : +33 5 45 64 74 74

SKIND  HUSE



SAFETY DATA SHEET

Skindhuset.dk

Page : 3

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

4. First aid measures (continued)

- Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Wash contaminated clothing before reuse. Wash with plenty of soap and water. Specific treatment (see on this label). Get medical advice. If skin irritation or rash occurs :
- Eye contact** : If eye irritation persists : Get medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- Ingestion** : Do NOT induce vomiting.
Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.
Causes serious eye irritation.
Causes skin irritation.
May cause an allergic skin reaction.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Flammable class** : Flammable solid.
- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.
- Specific hazards** : May form flammable/explosive vapour-air mixture.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



SAFETY DATA SHEET

Page : 4

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

6. Accidental release measures (continued)

- For emergency responders** : Avoid breathing dust, fume, gas, mist, vapours, spray.
Equip cleanup crew with proper protection.
Ventilate area.
- Technical measures** : Use special care to avoid static electric charges.
- Special precautions** : Remove ignition sources. No naked lights. No smoking.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Store away from other materials. On land, sweep or shovel into suitable containers.
Minimize generation of dust.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

- Handling** : Avoid breathing dust, fume, gas, mist, vapours, spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.
Handle empty containers with care because residual vapours are flammable.
- Technical protective measures** : Use explosion-proof electrical, ventilating, lighting, ..., equipment.
Provide good ventilation in process area to prevent formation of vapour.
Proper grounding procedures to avoid static electricity should be followed.
- Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.
No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep container tightly closed.
Ground/bond container and receiving equipment. Keep only in the original container in a cool, well ventilated place. Keep in fireproof place.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

- Specific end use(s)** : See section 1.



SAFETY DATA SHEET

Page : 5

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014


PATE DE LUXE SAPHIR

0002 - 0006 - 0008 -
0009

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



Personal protection

- **Respiratory protection** : Avoid all unnecessary exposure.
: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Paste.
Colour	
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: Not applicable.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable solid.
Flash point [°C]	: Not applicable.
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: Not applicable.
Vapour pressure [20°C]	: No data available.
Vapour density	: No data available.
Density [g/cm³]	: 0.77 - 0.80
Relative density, liquid (water=1)	: Not applicable.
Solubility in water	: No data available.



SAFETY DATA SHEET

Page : 6

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

9. Physical and chemical properties (continued)

Log Pow octanol / water at 20°C : No data available.

Viscosity at 40°C [mm²/s] : No data available.

9.2. Other information

Explosive properties : No data available.

Explosion limits - upper [%] : No data available.

Explosion limits - lower [%] : No data available.

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

• Inhalation : Based on available data, the classification criteria are not met.

• Dermal : Based on available data, the classification criteria are not met.

• Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

AVEL

Lombre MAGNAC LAVALETTE 16320 FRANCE

Tel. +33 5 45 64 74 74 - Fax. +33 5 45 64 77 36

avel@avel.com

In case of emergency : +33 5 45 64 74 74



SAFETY DATA SHEET

Page : 7

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

11. Toxicological information (continued)

Irritation	: Causes serious eye irritation. Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Sensitization	: May cause an allergic skin reaction.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Harmful to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance/mixture does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Special precautions : Handle empty containers with care because residual vapours are flammable.



SAFETY DATA SHEET

Page : 8

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)

UN N° : 3175

H.I. nr : 40

ADR - Class : 4.1

ADR - Labelling : 4.1




ADR - Classification code : F1

ADR - Group : II

ADR - Packing instructions : P002 R001 IBC006

ADR - Limited Quantity : 1 KG

ADR - Tunnel code : E



: E

14.2. Sea transport (IMDG) [English only]

Proper shipping name : SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)

UN N° : 3175

IMO-IMDG - Class or division : 4.1

IMO-IMDG - Packing group : II

IMO-IMDG - Packing instructions : P002

IMO-IMDG - Limited quantities : 1 kg

IMO-IMDG - Marine pollution : No

EMS-Nr : F-A S-I

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60°C (TURPENTINE OIL, HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2 % AROMATICS)

UN N° : 3175

IATA - Class or division : 4.1

IATA - Packing group : II



SAFETY DATA SHEET

Page : 9

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

14. Transport information (continued)

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 445
instruction

- Passenger and Cargo - Maximum : 15 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 448

- Cargo only - Maximum Quantity/
Packing : 50 kg

Packing

IATA - Limited Quantities : 5 kg

ERG-Nr : 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.
regulations/legislation specific for the
substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

Further Phrases : Contains : TURPENTINE OIL. May produce an allergic reaction.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulativeList of relevant R phrases (heading 3) : R10 : Flammable.
R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.
R36/38 : Irritating to eyes and skin.
R43 : May cause sensitization by skin contact.
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the
aquatic environment.
R65 : Harmful : may cause lung damage if swallowed.
R66 : Repeated exposure may cause skin dryness or cracking.
R67 : Vapours may cause drowsiness and dizziness.List of full text of H-statements in : H226 : Flammable liquid and vapour.
section 3 : H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H332 : Harmful if inhaled.
H336 : May cause drowsiness or dizziness.
H411 : Toxic to aquatic life with long lasting effects.**AVEL**

Lombre MAGNAC LAVALETTE 16320 FRANCE

Tel. +33 5 45 64 74 74 - Fax. +33 5 45 64 77 36

avel@avel.com

In case of emergency : +33 5 45 64 74 74



SAFETY DATA SHEET

Page : 10

Revised edition no : 2

Date : 22 / 6 / 2015

Supersedes : 8 / 10 / 2014

PATE DE LUXE SAPHIR

**0002 - 0006 - 0008 -
0009**

16. Other information (continued)

Sources of key data used

EUH066: Repeated exposure may cause skin dryness or cracking.
: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Labelling EC 67/548 or EC 1999/45

• Symbol(s)



• Symbol(s)

: Xi : Irritant

• R Phrase(s)

: R10 : Flammable.
R36/38 : Irritating to eyes and skin.
R43 : May cause sensitization by skin contact.
R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R66 : Repeated exposure may cause skin dryness or cracking.
R67 : Vapours may cause drowsiness and dizziness.

• S Phrase(s)

: S2 : Keep out of the reach of children.
S24 : Avoid contact with skin.
S37 : Wear suitable gloves.
S46 : If swallowed seek medical advice immediately and show this container or label.
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Further information

: None.

The contents and format of this SDS are in accordance with REACH Regulation (CE) N° 1907/2006.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document